

Warning: Fully review and understand this manual before use. You must also fully review and understand the manual for the firearm you intend to pair with this suppressor before even installing the suppressor.

If you do not follow the warnings in this manual and your firearm's manual, you or someone else may be injured or killed.

AC338

WARNING! DO NOT ATTEMPT TO LOAD AND SHOOT YOUR FIREARM UNTIL YOU HAVE THOROUGHLY READ THIS INSTRUCTION MANUAL AND ARE FULLY FAMILIAR WITH ITS CONTENTS

For more information, please visit our web site at www.savagearms.com

Download a QR Code reader app for your Smartphone then snap this to open Savage Arms' homepage.



www.savagearms.com/warranty

Congratulations on the purchase of your new suppressor. You are now part of the Savage Arms, Inc. family of quality firearms. With reasonable care, your suppressor should deliver years of reliable service.

THIS INSTRUCTION GUIDE IS EXTREMELY IMPORTANT. The safety warnings and instructions in this guide are very important. By understanding the dangers involved in the use of any suppressor and by taking the necessary precautions, you can use your Savage suppressor in a safe manner. However, failure to read, understand, and obey any of the warnings may result in serious injury or death to you or others, as well as severe damage to the firearm, suppressor or other property.

SAFETY FIRST – IT'S YOUR OBLIGATION!

ABOVE ALL – REMEMBER THAT A FIREARM IS A MECHANICAL DEVICE WITHOUT THE ABILITY TO THINK OR ACT ON ITS OWN. IT WILL DO WHAT YOU MAKE IT DO, WHETHER YOUR ACTION IS SAFE OR UNSAFE. IT DOES NOT KNOW THE DIFFERENCE BETWEEN A WISE ACTION OR ONE WHICH WILL PUT SOMEONE'S LIFE OR PROPERTY IN DANGER. THE ONLY SURE WAY IT CAN BE SAFE IS IF YOUR ACTIONS ARE SAFE. IT ONLY TAKES ONE CARELESS MOMENT TO RESULT IN A TRAGEDY THAT YOU WILL HAVE TO LIVE WITH FOR THE REST OF YOUR LIFE.

WARNING! DO NOT ATTEMPT TO LOAD AND SHOOT YOUR FIREARM UNTIL YOU HAVE THOROUGHLY READ THIS INSTRUCTION GUIDE AND ARE FULLY FAMILIAR WITH ITS CONTENTS.

KNOW HOW TO LOCATE AND OPERATE ANY SAFETY MECHANISMS.

THOROUGHLY CLEAN THE INSIDE OF THE BARREL AND CHAMBER PRIOR TO LOADING WITH AMMUNITION.

WHEN CARRYING A LOADED FIREARM, THE SAFETY MUST ALWAYS BE IN THE FULL SAFE POSITION.

THE ONLY TIME YOU CAN BE ABSOLUTELY CERTAIN THAT A FIREARM CANNOT FIRE IS WHEN THE ACTION IS OPEN AND IT IS COMPLETELY EMPTY OF AMMUNITION.

TABLE OF CONTENTS

| Your Safety Obligations5 |
|-------------------------------------|
| The Rules of Safe Firearm Handling5 |
| Warranty Statement |
| Manufacturer's Disclaimer10 |
| Product Details11 |
| Installation12 |
| Disassembly12 |
| Reassembly14 |
| Warranty14 |

WARNING: Only high quality factory ammunition should be used with your ACCUCAN. Best sound reduction will be achieved if sub-sonic ammunition is used in the firearm.

WARNING: Never attach the ACCUCAN to a firearm with a bore larger than the bore of the ACCUCAN. Any bullet larger than the ACCUCAN bore will destroy the suppressor, firearm and result in injury or death.

For more information, and for expanded instruction guides, please visit www.savagearms.com

Understanding the dangers presented by the use of any firearm, and taking precautions described in this manual, will help you achieve a high level of safety. On the other hand, your failure to follow the instructions and warnings contained in this manual can result in serious injury or death to you or others, as well as severe damage to the suppressor or other property.

Savage Arms, Inc. shall not be responsible for damage to the firearm, suppressor, physical injury to you or others, or property damage resulting in whole or in part from any of the following: criminal or negligent discharge of the firearm; improper or careless handling; unauthorized modifications or alterations; use of improper, hand-loaded or reloaded ammunition; use of remanufactured ammunition; the failure to properly maintain your firearm, including allowing corrosion build-up, abuse, neglect, or other influences that are beyond our control.

YOUR SAFETY OBLIGATIONS

WARNING! You must follow all instructions and safety rules in this manual to ensure the safe use of your firearm. Failure to do so, will cause serious personal injury or death to you or others, and cause damage to property.

The first priority of every firearm owner should be safety, regardless of the situation. As a firearm owner, you are accepting a very serious responsibility. Your ability to safely operate a firearm can be the difference between life and death. If you are uncertain about the operation of your firearm for any reason, please contact Savage Arms at 1-800-370-0708 before proceeding with its operation.

There is **NO** excuse for careless handling of your firearm. **ALWAYS** handle a firearm with respect for its potential danger.

This owner's manual is designed to assist you in learning how to properly use and care for your Savage Arms suppressor. Only after you are certain that you fully understand this manual and can properly follow its instructions, are you prepared to practice loading and firing your firearm with live ammunition.

Having a firearm in your possession is a serious job; you cannot guess and you cannot forget. You must know how to use your firearm safely. If you have any doubts about your ability to handle or use this firearm safely, you should seek supervised, professional instruction. Contact your firearms dealer, local law enforcement agency, and/or your local sportsman's club for further information on safe firearm handling.

Certified training is also available through various national firearms related organizations.

Most importantly, ALWAYS follow the rules of safe firearm handling.

THE RULES OF SAFE FIREARM HANDLING

WARNING! The following rules should be followed at all times. They must govern your actions wherever and whenever you are involved with firearms. Please take the time to review and understand these rules. If you do not understand something, please contact Savage Arms or any of the various national firearms related organizations.

1. Always Keep the Muzzle Pointed in a Safe Direction.

This is the most basic safety rule. If everyone handled a firearm so carefully that the muzzle never pointed at something they didn't intend to shoot, there would be virtually no firearm accidents. It's as simple as that, and it's up to you.

Never point your firearm at anything you do not intend to shoot. This is particularly important when loading or unloading a firearm. In the event of an negligent discharge, no injury can occur as long as the muzzle is pointing in a safe direction.

A safe direction means a direction in which a bullet cannot possibly strike anyone, taking into account possible ricochets and the fact that bullets can penetrate walls and ceilings. The safe direction may be "up" on some occasions or "down" on others, but never at anyone or anything not intended as a target. Even when "dry firing" with an unloaded firearm, you should never point the firearm at an unsafe target.

Make it a habit to know exactly where the muzzle of your firearm is pointing at all times, and be sure that you are in control of the direction in which the muzzle is pointing, even if you fall or stumble. This is your responsibility, and only you can control it.

2. Firearms Should be Unloaded When Not Actually in Use.

Firearms should be loaded only when you are in the field or on the target range or shooting area, ready to shoot. When not in use, firearms and ammunition should be secured in a safe place, separate from each other. It is your responsibility to prevent children and unauthorized adults from gaining access to firearms or ammunition.

Whenever you handle a firearm or hand it to someone, always remove the magazine and open the action immediately, and visually check the chamber to be certain it does not contain any ammunition. Always keep actions open when not in use. Never assume a firearm is unloaded — check for yourself! This is considered a mark of an experienced firearm handler!

Never cross a fence, climb a tree or perform any awkward action with a loaded firearm. While in the field, there will be times when common sense and the basic rules of firearms safety will require you to unload your firearm for maximum safety. Never pull or push a loaded firearm toward yourself or another person. There is never any excuse to carry a loaded firearm in a scabbard, a holster not being worn or a firearm case. When in doubt, unload your firearm!

 Safe storage of a firearm is just as important as safe handling. Never store a firearm loaded. Be sure to keep your firearm in a secure locked place where unauthorized persons and children cannot gain access without your knowledge. Take extra precaution if there are children nearby. Store your firearms in a locked safe or some other location that physically prevents unauthorized persons and children from gaining access.

- Failure to secure a firearm locked where a child can access it is illegal in some states.
- Ammunition should be stored and locked in a location separate from your firearm. Never leave an unsecured firearm or ammunition in a car, closet, dresser, or under the bed. It is your responsibility to make sure that children and others unfamiliar with firearms cannot access your firearm and ammunition. Locked storage is also a must to deter the theft of your valuable firearm.

3. Do Not Rely on Your Firearm's Safety.

DANGER! Treat every firearm as though it can fire at any time. The "safety" on any firearm is a mechanical device which, like any such device, can become inoperable at the worst possible time. Besides, by mistake, the safety may be "off" when you think it is "on." The safety serves as a supplement to proper firearm handling but cannot possibly serve as a substitute for common sense. You should never handle a firearm carelessly and assume that the firearm won't fire just because the "safety is on."

Never touch the trigger on a firearm until you actually intend to shoot. Keep your fingers away from the trigger while loading or unloading. Never press the trigger on any firearm with the safety in the "safe" position or anywhere in between "safe" and "fire." It is possible that the firearm can fire at any time, or even later when you release the safety, without you ever touching the trigger again.

Never place the safety in between positions, since half-safe is unsafe. Keep the safety fully "on" until you are absolutely ready to fire.

Regardless of the position of the safety, any blow or jar strong enough to actuate the firing mechanism of a firearm can cause it to fire. This can happen even if the trigger is not touched, such as when a firearm is dropped. Never rest a loaded firearm against any object because there is always the possibility that it will be jarred or slide from its position and fall with sufficient force to discharge. The only time you can be absolutely certain that a firearm cannot fire is when the action is open and it is completely empty. Again, never rely on your firearm's safety. You and the safe firearm handling procedures you have learned are your firearm's primary safeties.

4. Be Sure of Your Target and What Is Beyond It.

No one can call a shot back. Once a firearm fires, you have given up all control over where the shot will go or what it will strike. You are responsible for each projectile fired. Don't shoot unless you know exactly what your shot is going to strike. Be sure that your bullet will not injure anyone or anything beyond your target. Firing at a movement or a noise without being absolutely certain of what you are shooting at constitutes disregard for the safety of others. No target is so important that you cannot take the time before you press the trigger to be absolutely certain of your target and where your shot will stop.

Be aware that even a 22 short bullet can travel over 1 1/4 miles and a high velocity cartridge, such as a 30-06, can send its bullet more than 3 miles. Shotgun pellets can travel 500 yards, and shotgun slugs have a range of over half a mile.

You should keep in mind how far a bullet will travel if it misses your intended target or ricochets in another direction.

5. Use Proper Ammunition.

DANGER! You must assume the serious responsibility of using only the correct ammunition for your firearm. Read and heed all warnings, including those that appear in the firearm's owner's manual and on the ammunition boxes.

Using improper or incorrect ammunition can destroy a firearm and cause serious personal injury. It only takes one cartridge of improper caliber or gauge to damage your firearm, and only a moment to check each one as you load it. Be absolutely certain that the ammunition you are using matches the specifications that are contained within the firearm's owner's manual and the manufacturer's markings on the firearm.

Firearms are designed, manufactured and proof tested to standards based upon those of factory loaded ammunition. Handloaded or reloaded ammunition deviating from pressures generated by factory loads or from component recommendations specified in reputable handloading manuals can be dangerous, and can cause severe damage to firearms and serious injury to the shooter.

Ammunition that has become very wet or has been submerged in water should be discarded in a safe manner. Do not spray oil or solvents on ammunition or place ammunition in excessively lubricated firearms. Poor ignition, unsatisfactory performance or damage to your firearm and harm to yourself or others could result from using such ammunition.

If the sound upon firing is unusually quiet or recoil is too soft, unload and inspect for a bore obstruction. If the sound upon firing is unusually loud or recoil is extreme, unload and inspect the firearm for damage.

Form the habit of examining every cartridge you put into your firearm. Never use damaged or substandard ammunition — the money you save is not worth the risk of possible injury or a damaged firearm.

6. If Your Firearm Fails to Fire When the Trigger is Pressed, Handle With Care.

Occasionally, a cartridge may not fire when the trigger is pressed. If this occurs, keep the muzzle pointed in a safe direction. Keep your face away from the ejection port. Then, carefully open the action, take care to position the receiver opening to direct fragments away from your body if the cartridge fails when the action is being opened, unload the firearm and dispose of the cartridge in a safe way.

Any time there is a cartridge in the chamber, your firearm is loaded and ready to fire even if you've tried to shoot and it did not fire. It could fire at any time, so you must always remember Rule #1 and watch the muzzle!

7. Always Wear Eye and Ear Protection When Shooting.

All shooters and spectators should wear protective shooting glasses and some form of hearing protectors while shooting. Exposure to shooting noise can damage hearing, and adequate vision protection is essential. Shooting glasses guard against twigs, falling shot, clay target chips and the rare ruptured case or firearm malfunction. Wearing eye protection when disassembling and cleaning any firearm will also help prevent the possibility of springs, spring tensioned parts, solvents or other agents from contacting your eyes. There is a wide variety of eye and ear protectors available. No target shooter, plinker or hunter should ever be without them.

Most rules of shooting safety are intended to protect you and others around you, but this rule is for your protection alone. Furthermore, having your ears and eyes protected will help improve your enjoyment of the shooting sports.

8. Be Sure the Barrel is Clear of Obstructions Before Shooting.

Before you load your firearm, remove the magazine, open the action and be certain that no ammunition is in the chamber. Be sure the barrel is clear of any obstruction. Even a small bit of mud, snow, excess lubricating oil or grease in the bore can create dangerously increased pressures, causing the barrel to bulge or even burst on firing, which can cause injury or death to the shooter and bystanders. Make it a habit to clean the bore and check for obstructions with a cleaning rod immediately before you shoot it. If the noise or recoil on firing seems weak or doesn't seem quite "right," cease firing immediately and be sure to check that no obstruction or projectile has become lodged in the barrel.

Placing a smaller gauge or caliber cartridge into a firearm (such as a 20-gauge shell in a 12-gauge shotgun) can result in the smaller cartridge falling into the barrel and acting as a bore obstruction when a cartridge of proper size is fired. This can cause a burst barrel or worse. This is really a case where "haste makes waste." You can easily avoid this type of accident by paying close attention to each cartridge you insert into your firearm.

9. Do Not Alter or Modify Your Firearm and Have It Serviced Regularly.

Firearms are complicated mechanisms that are designed by experts to function properly in their original condition. Any alteration or change made to a firearm after manufacture can make the firearm dangerous and will void any factory warranties. Do not jeopardize your safety or the safety of others by altering the trigger, safety or other mechanism of any firearm or allowing unqualified persons to repair or modify a firearm.

You'll usually ruin an expensive firearm. Don't do it!

Your firearm is a mechanical device that will not last forever and is subject to wear. As such, it requires periodic inspection, adjustment and service.

10. Learn the Mechanics and Handling Characteristics of the Firearm You Are Using.

Not all firearms are the same. The method of carrying and handling firearms varies in accordance with the mechanical characteristics of each firearm. Since firearms can be so different, never handle any firearm without first having thoroughly familiarized yourself with the particular type of firearm you are using, the safe firearm handling rules for loading, unloading, carrying and handling that firearm, and the rules of safe firearm handling in general.

For example, many handgun manufacturers recommend that their handguns always be carried with the hammer down on an empty chamber. This is particularly true for older single-action revolvers, but applies equally to some double-action revolvers or semiautomatic pistols. You should always read and refer to the owner's manual you received with your firearm, or if you have misplaced the manual, simply contact the manufacturer or Savage Arms at 1-800-370-0708 for a copy.

Having a firearm in your possession is a full-time job. You cannot guess; you cannot forget. You must know how to use, handle and store your firearm safely. Do not use any firearm without having a complete understanding of its particular characteristics and safe use. There is no such thing as a foolproof firearm.

ALWAYS USE COMMON SENSE!

WARNING! Discharging firearms in poorly ventilated areas, cleaning firearms, or handling ammunition may result in exposure to lead, a substance known to cause birth defects, reproductive harm, cancer, and other serious physical injury. Have adequate ventilation at all times. Wash your hands thoroughly after exposure to your firearm, ammunition or cleaning supplies.

WARNING! Never shoot while intoxicated or on drugs. To effectively follow the rules of safe firearm handling, you must shoot sober. Firearms and alcohol/drugs are a deadly combination. Never consume anything that could impair your judgment or physical coordination when using a firearm.

DANGER: Unload your firearm before installing any locking device.

WARRANTY STATEMENT

WARNING: Failure to follow installation and maintenance instructions detailed in this manual can result in potentially serious injury to the user and damage to the firearm system. Firearm sound suppressors are user attached firearm muzzle devices, and as such are subject to improper attachment unless the proper procedures outlined in this manual are followed.

MANUFACTURER'S DISCLAIMER

The manufacturer is not responsible for improper usage of this product. This product is potentially dangerous, and as such it is the user's responsibility to understand and implement its proper use. If you do not understand the instructions in this manual, please contact the manufacturer for further clarification.

CAUTION: Before performing any maintenance operation, always remove the magazine from the firearm, open the action, and visually ascertain that the chamber is empty, and the firearm is unloaded. Failure to do so can result in potential for serious injury to the user and others.

Always read the warning label on any cleaner or solvent and remember that virtually all solvents are inherently dangerous and potentially toxic. Always use adequate ventilation and both skin and eye protection when using solvents.

Never use a patch to clean the barrel with the suppressor MonoKore™ in place, as the patch may become lodged in the MonoKore™ baffle system.

In general, it is advisable to use a small amount of blue Loctite (243) on the barrel threads to install suppressors for duty use. For suppressor installation, torque should not be above 40 ft*lb, but not below 25 ft*lb (firmly hand tight).

It is recommended that the user periodically ensure that the suppressor is tight. To do so: cease fire, unload and visually and physically inspect the firearm to be clear and safe, then allow the suppressor to cool to ambient temperature and only then try and tighten the suppressor by hand (turning clockwise).

DANGER: Never install or remove the ACCUCAN from a loaded firearm. The magazine must be removed from the firearm and the chamber empty before installing or removing the ACCUCAN.

WARNING: Because suppressed firearms are quieter than regular firearms, you might forget that they are still dangerous. An ACCUCAN equipped firearm mandates the same responsible handling as an unsuppressed firearm. Since the ACCUCAN reduces the sound signature of a firearm, the shooter must be diligent to make sure that persons or animals do not cross the line of fire during use.

WARNING: Suppressors are VERY HOT under fire. Never attempt to see if the suppressor is tight soon after it has been fired, as there is nothing that can protect your hand while grabbing a metal object that is as hot as a suppressor can get. It is always safest to allow the suppressor to cool all the way to room temperature to check that it is still torqued in place.

The ACCUCAN will become extremely hot during use. Use gloves to prevent burns when handling a hot ACCUCAN. Do not allow the hot ACCUCAN to contact skin or objects that may be damaged by high heat. Avoid using the ACCUCAN near or placing it on flammable substances. Prepare a designated place to rest your suppressed firearm after firing to allow it to cool.

WARNING! Do not alter, modify or replace any of the parts of your suppressor. Failure to follow this warning can result in improper function of your suppressor, and/or serious injury or death to you or others. It may also be against the law.

WARNING: A MonoKore[™] strike involves a bullet impacting the internals of the ACCUCAN, this can occur from a bore obstruction, improper ammunition, too large a caliber of ammunition or failure to properly install the ACCUCAN.

Confirm that the firearm barrel is suitable for use with the ACCUCAN. To reduce the risk of a MonoKore™ strike, the user must ensure the barrel bore is aligned with the bore axis of the ACCUCAN.

The ACCUCAN must be properly installed and aligned before use. Follow all installation and alignment instructions in this manual for mounting.

If you do not correctly align the ACCUCAN on your firearm a MonoKore $^{\text{TM}}$ strike could occur which will destroy the suppressor, firearm and possibly cause injury or death.

Beware of barrel bore and suppressor obstructions. Be sure the firearm's bore and the suppressor are clear of obstructions before shooting. An obstruction in the barrel bore or suppressor is a dangerous condition and may damage your firearm and cause injury to yourself and others.

AMMUNITION: The choice of ammunition significantly impacts the performance of your new suppressor. It is crucial to utilize high-quality, factory-new ammunition in your firearm. Please refrain from using wildcat, reloaded, frangible, or fragmented ammunition, as these choices may potentially void your warranty.

AC338

The AC338 is constructed of 7075-T6 aerospace grade aluminum (MonoKore™, tube, and mount) and 6AL-4V titanium (thread insert)

DIMENSIONS (ASSEMBLED)

| Length | 10.9 inches |
|----------|-----------------------------------|
| Diameter | 1.75 inch (1.81" at tool feature) |
| Weight | 18.5 ounces |

COATINGS

| Tube | Type-III Hard Coat Anodizing | |
|-----------|------------------------------|--|
| MonoKore™ | Type-III Hard Coat Anodizing | |
| Mount | Type-III Hard Coat Anodizing | |

RATING

| CALIBER | FIRING TABLE | BARREL LENGTH |
|-------------|--------------|---------------|
| Up to 338LM | CRoF | 26" |

*CROF, or Controlled Rate of Fire, is fire 20 rounds as fast as you can and allow the suppressor to cool to ambient temperature.

THREAD PITCH

5/8-24

CAUTION: The AC338 suppressor contains no packing materials within the suppressor, i.e. liquid ablative agents, rubber or leather wipes, etc. This suppressor was designed to be the ideal hunting and Precision Rifle Shooting suppressor. The suppressor was not designed to be used with ablative agents or artificial atmosphere, and the presence of fluids within the suppressor ARE detrimental to its operation.

INSTALLATION

Ensure the suppressor is correctly oriented for installation and removal, with only one proper alignment. Prior to usage, it is essential to securely affix the suppressor onto the firearm. Failing to do so may lead to potential damage to both your firearm and the suppressor.

Conduct a visual inspection of the suppressor post-installation to verify that it is perfectly aligned with the centerline of the bore and not tilted in any way. Should you observe any misalignment between the suppressor and the bore, immediately halt the installation process and contact our Customer Service Department.

Utilizing the suppressor when it is improperly mounted could result in irreversible damage to your suppressor, resulting in suboptimal performance and diminished accuracy.

DISASSEMBLY



The tools required to assemble, disassemble, and maintain the AC338 are a 1" wrench or socket (mount) and 1 ¼" wrench or socket (tube).



To disassemble the AC338, begin by securing the 1" socket and driver or wrench in a vice, as shown. This will serve as the holding point for the mount portion of the suppressor.



Using a driver and a 1 χ " socket or a 1 χ " wrench, unthread the suppressor tube. It will take some force to unthread the suppressor tube. If the tube seems very hard to remove, you may put some solvent or oil into the suppressor in order to aid disassembly. This may happen if the suppressor has not been maintained properly. Maintaining the suppressor often will prevent this from happening for the most part.



When unthreading the tube, it is common to see some particles and material in the threads. This is normal and can be cleaned with a small amount of a firearms solvent of your choice and a nylon brush.

Once the tube is unthreaded, it will pull away from the rest of the suppressor assembly. What is left is the MonoKore™ threaded into the mount. It is not necessary to remove the MonoKore™ from the mount unless there is a mechanical problem with the parts. If this is the case, contact customer service at Savage Arms and an experienced technician will instruct you what to do, or have you to send the suppressor in to the Savage Arms service department for inspection or repair.



Once apart, the only things that you need to clean are the deposits off of the interior and exterior surfaces on the MonoKore™, and the interior surfaces of the tube. Use only firearms solvents, nylon brushes, and rags/towels. DO NOT USE METAL BRUSHES OF ANY KIND.

REASSEMBLY

NOTE: THE SUPPRESSOR MUST BE DRY BEFORE REASSEMBLY.

In order to reinstall the tube properly, it must be torqued to 30 ft*lbs. Slide the tube over the MonoKore^{\mathbf{M}} and thread the tube until it seats against the mount. Using a torque wrench and the 1 $\mathbf{1}$ $\mathbf{1}$ socket, torque the tube into place.



When assembly is completed the suppressor is ready to be used again. The AC338 should be maintained in this way each time after a range day if possible. If the AC338 is not at a minimum disassembled in the described way between range days, carbon deposits can build up on the interior surfaces of the suppressor and harden making disassembly progressively more difficult.

WARNING: Never fire the suppressor with any liquid or fluid in the suppressor.

WARRANTY STATEMENT

The Magnuson-Moss Act (Public Law 93-637) does not require any seller or manufacturer of a consumer product to give a written warranty. It does provide that if a written warranty is given, it must be designated at "full" or as "limited" and sets minimum standards for a "full" warranty.

Savage Arms has elected not to provide any written warranty, either "limited" or "full," rather than to attempt to comply with the provisions of the Magnuson-Moss Act and the regulations issued thereunder.

There are certain implied warranties under state law with respect to sales of consumer goods. As the extent and interpretation of these implied warranties varies from state to state, you should refer to your state statutes.

Savage Arms certifies that all sound suppressors manufactured by them are free of defects in materials or workmanship and meet manufacturing specifications at the time of manufacture. Savage Arms disavows responsibility for damages resulting from neglect, abuse, or acts of war except those declared and authorized by the Senate of the United States of America.

Savage Arms denies any liability resulting from the use, abuse, or criminal misuse of products manufactured or distributed.



WARNING

Firearms must be handled responsibly and securely stored to prevent access by children and other unauthorized users. California has strict laws pertaining to firearms, and you may be fined or imprisoned if you fail to comply with them. Visit the website of the California Attorney General at https://oag.ca.gov/firearms for information on firearm laws applicable to you and how you can comply.

Prevent child access by always keeping guns locked away and unloaded when not in use. If you keep a loaded firearm where a child obtains and improperly uses it, you may be fined or sent to prison.

If you or someone you know is contemplating suicide, please call the national suicide prevention lifeline at 1-800-273-TALK (8255).



WARNING

This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and reproductive harm. For more information go to www.P65Warnings.ca.gov



ADVERTENCIA

Las armas de fuego deben ser manejadas de manera responsable y almacenada de manera segura para evitar el acceso de niños y otros usuarios no autorizados. California tiene leyes estrictas relativas a las armas de fuego, y puede ser multado o encarcelado si no cumple con ellas. Visite el sitio web del Procurador General de California en https://oag.ca.gov/firearms para obtener información sobre las leyes de armas de fuego aplicables a usted y cómo puede cumplir.

Evite el acceso de los niños manteniendo siempre las armas cerradas y descargadas cuando no estén en uso. Si mantiene un arma de fuego cargada donde un niño la obtiene y la usa incorrectamente, puede ser multado o enviado a prisión.

Si usted o alguien que conoce está contemplando el suicidio, llame a la línea de vida nacional de prevención del suicidio al 1-800-273-TALK (8255).



ADVERTENCIA

Este producto puede exponerle a sustancias químicas que incluyen el plomo, que el estado de California reconoce como causante de cáncer y daños al sistema reproductivo. Para más información, visite www.P65Warnings.ca.gov



AVERTISSEMENT

Les armes à feu doivent être manipulées de manière responsable et stockée en toute sécurité pour empêcher les enfants et les autres utilisateurs non autorisés d'y accéder. La Californie a des lois strictes concernant les armes à feu et vous pouvez être condamné à une amende ou à une peine d'emprisonnement si vous ne vous y conformez pas. Visitez le site Web du procureur général de Californie à https://oag.ca.gov/firearms pour obtenir des informations sur les lois sur les armes à feu qui vous concernent et comment vous pouvez vous y conformer.

Empêchez l'accès des enfants en gardant toujours les pistolets sous clé et déchargés lorsqu'ils ne sont pas utilisés. Si vous gardez une arme à feu chargée là où un enfant l'obtient et l'utilise de manière inappropriée, vous pourriez être condamné à une amende ou à une peine de prison.

Si vous ou quelqu'un que vous connaisser envisagez le suicide, veuillez appeler la ligne de vie nationale pour la prévention du suicide au 1-800-273-TALK (8255).



AVERTISSEMENT

Ce produit peut exposer l'utilisateur à des produits chimiques, comme le plomb, que l'État de Californie reconnaît comme étant cancérigène et nocif pour la reproduction. Pour plus d'information, consultez le www.P65Warnings.ca.gov



www.savagearms.com (800) 370-0708 (413) 568-7001